

mccosmetics®

index

PROFESSIONAL

| Algirellile | 1 |
|------------------------|---------|
| Artichoke Extract | |
| Asian Centella | |
| Biotin Hidrixin | 4 |
| Caffeine | |
| Cellestabyl | |
| Chondroitin Mesoplus | 7 |
| Collagen Pyruvate | 8 |
| Dexpanthenol | 9 |
| DMAE | 10 |
| DNA | 11 |
| Four Vit. B | 12 |
| Ginkgo Biloba | 13 |
| Glutathione GSH | 14 |
| Hyaluronidase Liquid | 15 |
| L-Carnitine | 16 |
| Melilotus | 17 |
| Oligoelements | 18 |
| Organic Silicon | 19 |
| Organic Silicon & DMAE | 20 |
| Phosphatidylcholine | 21 |
| Serum Solution | |
| Venolaureth | |
| Vitamin A | 24 |
| Vitamin C | 25 |
| Argireline 7 | |
| Deoxycholate | |
| Deoxycholic 1500 UI | |
| DNA Gel | |
| Enzyme 1500 UI | 30 |
| HyaluronicAcid | - 31 |
| Hyaluronidase 1500 UI | |
| PPC | |
| Tranexamicum | |
| Vitamin C | |
| Vitamin C 1500 UI | |
| Vitamin K 1500 UI | |

COCKTAILS

| rusion Antiaging | 39 |
|-------------------|----|
| Fusion Cellulite | 4c |
| Fusion Enzyme | 41 |
| Fusion Fat | 42 |
| Fusion Hair | 43 |
| Fusion HD | 44 |
| Fusion Melanopeel | 45 |
| Fusion Repair | 46 |
| Fusion Out | 47 |
| Fusion Whitening | 48 |
| | |

PEELINGS

| Sali Cylic | 49 |
|-------------|----|
| Salicylic | 49 |
| Azelaic | 49 |
| Mandelic | 49 |
| Jessner | 50 |
| Lactic | 50 |
| Glycolic | 50 |
| Brightening | 51 |
| GSH | 51 |
| Firming | 51 |
| Renew | _ |
| ATA | |
| TPRX | 57 |

face



professional • ampoules

prof. argireline

• **Keywords:** Anti-Wrinkle, Expression Lines, Natural Botox Effect

The ampoules of Argireline are an efficient anti-wrinkle which prevents and reduces expression lines. Creates a natural botox effect on the skin.



product information

main characteristics

& effects

Prevents dynamic wrinkles from forming, interferes with a protein receptor complex which helps cause muscle movement-less muscle contractions result in less wrinkles; also stimulate collagen production and helps the skin retain moisture

recommended for Anti-Wrinkle, Expression Lines, Natural Botox Effect

usage

Can be used topically, transdermal with virtual mesotherapy (iontophoresis or electroporation), with RadioFrequency or ultrasound, with micro-needling (derma-Roller or dermapen) and also with tradtitional mesotherapy.

| application | suggestion 1 - lifting | amount applied | application protocol | suggestion 2-antiaging | amount applied | application protocol | suggestion 3-wrinkles | amount applied | application protocol |
|---|---------------------------|-------------------|---|---------------------------|-------------------|---|--------------------------|-------------------|---|
| Treatment frequency: Every 2 weeks | dmae | 2 cc | point by point, nappage or microneedling | organic silicon & dmae | 3 cc | point by point, nappage or microneedling | hyaluronic acid 3,5% | 1 cc | point by point, nappage or microneedling |
| (approx. 5-8sessions) Maintenance treatment: | Collagen Pyruvate | 2 CC | application deep: 1mm to 4mm | argireline | 2 CC | Application deep: 1mm to 4mm | argireline | 2 cc | Application deep: 1mm to 4mm |
| 1 session every 1-2 months | Argireline | 2 cc | amount per puncture: 0,01 cc - 0.2 cc | vitamin a | 2 cc | amount per puncture: 0,01 cc - 0,2 cc | vitamin c | 2 cc | amount per puncture: 0,01 cc - 0.2 cc |

main ingredients Argireline 3%, Leuphasil 2%

presentation 2 ml x 10 ampoules

application areasbody



professional • ampoules

prof. artichoke extract

• Keywords: Cellulite, Localized Fat, Lymphatic drainage

The ingredients exert a diuretic and detoxifying action and are used to treat cellulite and localized fat. This extract helps stimulate the lymphatic drainage system.



product information

main characteristics & effects

 $Detoxifying \ and \ diuretic \ action; \ stimulates \ the \ lymphatic \ drainage \ system \ reducing \ excessive \ fluid \ retention in \ the \ tissues$

recommended for

Cellulite, Localized Fat, Lymphatic drainage

usage

Can be used topically, transdermal with virtual mesotherapy (iontophoresis or electroporation), with RadioFrequency or ultrasound, with micro-needling (derma-Roller or dermapen) and also with tradtitional mesotherapy.

application
Treatment frequency:
Every 2 – 3 weeks
(approx. 6 – 10 sessions)
Maintenance treatment:
1 session every 3 months


| lipolysis - suggestion 1 | amount protocol | application protocol | cellulite - suggestion 3 | amount applied | application protocol |
|--------------------------|-----------------|---|--------------------------|----------------|--|
| phosphatidylcholine | 5 cc | point by point | organic silicon | 5 cc | point by point |
| I-carnitine | 5 cc | application deep: 13mm | artichoke | 5 cc | application deep: 8mm to 13mm |
| artichoke | 5 cc | amount per puncture 0,02 cc - 0,5 cc | l-carnitine | 5 cc | amount per puncture 0,2 cc - 0,5 cc |
| lipolysis - suggestion 2 | amount protocol | application protocol | cellulite - suggestion 4 | amount applied | application protocol |
| phosphatidylcholine | 5 cc | point by point | fat burner | 5 εε | point by point |
| hyaluronidase liquid | 5 cc | iApplication deep: 13mm | organic silicon | 5 cc | application deep: 8mm to 13mm |
| artichoke | 5 cc | amount per puncture 0,02 | artichoke | 5 cc | amount per puncture 0,2 cc |

main ingredients

Cynara scolymus 2%

presentation

• face & body



professional • ampoules

prof. asian centella

• **Keywords:** Cellulite, Wrinkles, Stretch Marks/Acne Scars, Hair loss

The ingredients of the Asian Centella ampoules improve the blood circulation (especially in areas affected by cellulite), strengthen the skin and stimulate the conjunctive tissue. It is indicated for cellulite, skin rejuvenation, hair loss and stretch



product information

main characteristics & effects

Stimulation production of collagen type-1; stimulate collagen and elastin biosynthesis, help to improve wound repair and a balancing the perivascular connective tissue promoting an improvement of the venous wall elasticity.

recommended for Cellulite, Wrinkles, Stretch Marks/Acne Scars, Hair loss

Can be used topically, transdermal with virtual mesotherapy (iontophoresis or electroporation), with RadioFrequency or

ultrasound, with micro-needling (derma-Roller or dermapen) and also with tradtitional mesotherapy.

application Treatment frequency: Every 2 – 3 weeks (approx. 6 – 10 sessions) Maintenance treatment: 1 session every 3 months

usage

| suggestion 1 strech marks | amount applied | application protocol | suggestion 2-body firming | amount applied | application protocol | suggestion 3-rejuvenation | amount applied | application protocol |
|------------------------------|-------------------|--|------------------------------|-------------------|--|------------------------------|-------------------|---|
| organic silicon & dmae | 3 cc | point by point, nappage or microneedling | organic silicon & dmae | 3 cc | point by point, nappage or microneedling | organic silicon | 1 cc | point by point, nappage or microneedling |
| asian centella | 2 cc | application deep: 1mm to 4mm | collagen pyruvate | 2 cc | application deep: 2mm to 4mm | asian centella | 2 cc | injection spacing: 1cm apart |
| four vit.b | 2 cc | amount per puncture: 0,01 cc - 0.2 cc | asian centella | 5 cc | amount per puncture: 0,01 cc - 0,2 cc | collagen pyruvate | 2 cc | amount per puncture: 0,01 cc - 0.2 cc |

main ingredients Asian Centella Extract 0,5%

presentation 5 ml x 10 ampoules

• face & hair



professional • ampoules

prof. biotin hidrixin

• Keywords:

Biotin contains ingredients that help stimulate cell repair, resulting in an overall improvement of the skin structure and appearance. The acceleration of the lipid synthesis strengthens the skin's natural barrier providing a significant wrinkle-reducing power. It has a regulatory effect on the sebaceous secretion, relieves symptoms of seborrheic dermatitis, eczemas and dry skin and also helps prevent hair loss



product information

main characteristics & effects anti- seborrheic activity; improves the skin's natural barrier function; is necessary for cell growth, production of fatty acids and for metabolizing fats and amino acids.

recommended for

 $\label{thm:production} \textbf{Regulate Sebum Production, Oily Skin, promote healthy skin cell and tissue growth.}$

usage

Can be used topically, transdermal with virtual mesotherapy (iontophoresis or electroporation), with RadioFrequency or ultrasound, with micro-needling (derma-Roller or dermapen) and also with tradtitional mesotherapy.


| application |
|---|
| Treatment frequency: |
| Once per week |
| (approx. 6 – 10 sessions) Maintenance treatment: |
| 1 session every4-6 weeks |
| 1 session every4-6 weeks |

| suggestion 1 - hair loss | amount applied | application protocol | suggestion 2 - hair loss | amount applied | application protocol |
|-----------------------------|-------------------|--|-----------------------------|-------------------|--|
| ginko biloba | 1 cc | point by point, nappage or microneedling | organic silicon | 1 cc | point by point, nappage or microneedling |
| biotin hidrixin | 1 cc | application deep: 1mm to 2mm | biotin hidrixin | 1 cc | application deep: 1mm to 2mm |
| dexpantenol | 1 cc | amount per puncture: 0,01 cc - 0.2 cc per injection | dexpantenol | 1 cc | amount per puncture: 0,01 cc - 0,2 cc per injection |

main ingredients

Biotin 0,1% (Vitamin H or Vit.B7)

presentation



body



professional • ampoules

prof. caffeine

• Keywords: Cellulite, Remodeling

The ingredients of the Caffeine ampoules accelerate the blood circulation and stimulate the release of fat storage in the adipocytes to be burned by the body's metabolism. With toning properties, this solution helps reduce the appearance of cellulite and causes localized weight loss.



product information

main characteristics & effects

Lipolytic, stimulate lipase, drains the body's fat cells, increase blood flow and stimulate adipocytes to eliminate fat as also stimulate

the body metabolism

recommended for

Cellulite, Remodeling

usage

Can be used topically, transdermal with virtual mesotherapy (iontophoresis or electroporation), with RadioFrequency or ultrasound, with micro-needling (derma-Roller or dermapen) and also with tradtitional mesotherapy.

application Treatment frequency: Every 2 – 3 weeks (approx. 6 – 10 sessions) Maintenance treatment: 1 session every 3 months

| sugge celluli | estion 1 ite | amount applied | application protocol | suggestion 2-cellulite | amount applied | application protocol | suggestion 3-cellulite | amount applied | application protocol |
|------------------|-----------------|-------------------|---|---------------------------|-------------------|--|---------------------------|-------------------|---|
| organi | ic silicon | 5 cc | point by point | asian centella | 5 cc | point by point | caffeine | 1 cc | point by point |
| cellest | tabyl | 2 cc | application deep: 8mm to 13mm | melilotus | 2 CC | application deep: 8mm to 13mm | organic silicone | 5 cc | application deep: 13mm |
| l-carnit | tine | 5 cc | amount per puncture: 0,2 cc - 0,5 cc | caffeine | 1 cc | amount per puncture: 0,02 cc - 0,5 cc | phophatidylcholine | 5 cc | amount per puncture: 0,2 cc - 0,5 cc |
| Caffeir | ne | 1 cc | | l-carnitine | 5 cc | | | | |

main ingredients

Caffeine 10%

presentation

• face & body



professional • ampoules

prof. cellestabyl

• Keywords: Adypocytes, Cellulite, Localized Fat

The ingredients of the Cellestabyl ampoules help dissolve fats difficult-to-eliminate, providing a powerful and effective aid in the treatment of cellulite and localized fat.



product information

main characteristics & effects

Support body metabolism, controls the levels of fat, helps derive energy from carbohydrates and fats, helps body break down

stored carbohydrates into glucose.

recommended for

Adypocytes, Cellulite, Localized Fat

usage

Can be used topically, transdermal with virtual mesotherapy (iontophoresis or electroporation), with RadioFrequency or ultrasound, with micro-needling (derma-Roller or dermapen) and also with tradtitional mesotherapy.

application Treatment frequency: Every 2 – 3 weeks (approx. 6 – 10 sessions) Maintenance treatment: 1 session every 3 months

| suggestion 1 cellulite | amount applied | application protocol | suggestion 2-lipolysis | amount applied | application protocol | suggestion 3-cellulite | amount applied | application protocol |
|---------------------------|-------------------|---|---------------------------|-------------------|--|---------------------------|-------------------|---|
| organic silicon | 5 cc | point by point | hyaluronidase liquid | 5 cc | point by point | deoxycholic acid | 3 cc | point by point |
| cellestabyl | 2 cc | application deep: 8mm to 13mm | artichoke | 3 €€ | application deep: 8mm to 13mm | cellestabyl | 2 cc | application deep: 8mm to 13mm |
| l-carnitine | 5 cc | amount per puncture: 0,2 cc - 0,5 cc | caffeine | 1 cc | amount per puncture: 0,02 cc - 0,5 cc | l-carnitine | 3 cc | amount per puncture: 0,2 cc - 0,5 cc |
| Caffeine | 1 cc | | | | | artichoke | 2 cc | |

main ingredients

Caffeine 10%

presentation

application areasface & body



prof. chondroitin mesoplus

• Keywords: Flaccidity, Anti-aging

The Chondroitin Mesoplus ampoules are indicated for body and facial flaccidity and skin aging. The ingredients of this solution are an excellent aid in tissue renewal processes due to its effect on collagen fibre organization.



product information

main characteristics & effects

type of glycosaminoglycan, a major component of the extracellular matrix of many connective tissues, including cartilage, bone, skin. involved in various biological processes, as cell proliferation of keratinocytes and fibroblasts.

recommended for

Flaccidity, Anti-aging

usage

Can be used topically, transdermal with virtual mesotherapy (iontophoresis or electroporation), with RadioFrequency or ultrasound, with micro-needling (derma-Roller or dermapen) and also with tradtitional mesotherapy.

| application |
|----------------------------|
| Treatment frequency: |
| Every 2 weeks |
| (approx. 5-10 sessions) |
| Maintenance treatment: |
| 1 session every 1-2 months |
| |

| suggestion 1 body firming | amount applied | application protocol | suggestion 2-body firming | amount applied | application protocol | suggestion 3-rejuvenation | amount applied | application protocol |
|------------------------------|-------------------|--|--------------------------------|-------------------|--|------------------------------|-------------------|---|
| dmae | 5 cc | point by point, nappage or microneedling | hyaluronic acid + dmae (hd) | 2 cc | point by point, nappage or microneedling | organic silicon | 2 cc | point by point, nappage or microneedling |
| collagen pyruvate | 2 cc | application deep: 1mm to 4mm | organic silicon | 2 cc | application deep: 1mm to 4mm | hyaluronic acid + dmae | 3 cc | application deep: 1mm to 4mm |
| chondroitin mesoplus | 2 cc | amount per puncture: 0,01 cc - 0.2 cc | chondroitin mesoplus | 2 cc | amount per puncture: 0,01 cc - 0.2 c | chondroitin mesoplus | 2 cc | amount per puncture: 0,01 cc - 0.2 c |

main ingredients

Sodium Chondroitin Sulfate 1%

presentation

• face & body



professional • ampoules

prof. collagen pyruvate

• **Keywords:** Skin Aging, Strech Marks/ Scars, Flaccidity

The ingredients of Collagen Pyruvate ampoules, with regenerating properties, stimulate collagen synthesis and fibroblast activity. This solution is indicated for anti-aging treatments, stretch marks, hair loss and flaccidity.



product information

main characteristics Stimulates collagen synthesis and fibroblast activity giving a skin tightening effect. Helps to reduce facial aging, wrinkles and skin & effects

recommended for Skin Aging, Strech Marks/ Scars, Flaccidity

Can be used topically, transdermal with virtual mesotherapy (iontophoresis or electroporation), with RadioFrequency or usage

ultrasound, with micro-needling (derma-Roller or dermapen) and with other mesotherapy procedures.

application Treatment frequency: Every 2 weeks (approx. 5–10 sessions)
Maintenance treatment:

| suggestion 1 strech marks/ scars | amount applied | application protocol | suggestion 2-body firming | amount applied | application protocol | suggestion 3-wrinkles | amount applied | application protocol |
|--|-------------------|---|---------------------------------|---------------------------|--|---|-------------------|--|
| dna gel | 2 cc | point by point, pauple, nappage or microneedling dmae 2 cc point by point, pauple, nappage or microneedling hyaluronic acidenteed in the page of microneedling hyaluronic acidenteed | | hyaluronic acid + dmae | 2 cc | point by point, pauple, nappage or microneedling | | |
| collagen pyruvate | 2 cc | application deep: 1mm to 4mm | collagen pyruvate | 2 cc | application deep: 1mm to 4mm | organic silicon | 3 cc | application deep: 1mm to 4mm |
| vitamin c | 2 cc | amount per puncture: 0,01 cc - 0,2 cc | chondroitin mesoplus | 2 cc | amount per puncture: 0,01 cc - 0,2 cc | collagen pyruvate | 2 cc | amount per puncture: 0,02 cc - 0,2 cc |

main ingredients Pyruvic acid 0,8%

presentation 2 ml x 10 ampoules

prof. dexpanthenol

• Keywords: Moisturizing, Hair Nutrition, Anti-infammatory, Calming.

The Dexpanthenol ampoules have a moisturizing effect, boosting the moisture levels in the stratum corneum, reducing the transepidermal water loss and maintaining the skin natural smoothness and elasticity.



application areas



product information

main characteristics $Bind\ moisture\ levels\ in\ the\ stratum\ corneum, reduce\ water\ loss\ and\ maintain\ the\ skin's\ natural\ texture;\ anti-viral\ and\ anti-viral\ reduce\ material\ reduce\ reduced$ & effects inflammatory effect; protect from oxidative stress; essential for hair roots and skin nutrition. Activate wound healing.

recommended for Moisturizing, Hair Nutrition, Anti-infammatory, Calming.

Can be used topically, transdermal with virtual mesotherapy (iontophoresis or electroporation), with RadioFrequency or usage ultrasound, with micro-needling (derma-Roller or dermapen) and with other mesotherapy procedures.


| | suggestion 1 - hair loss | amount applied | application protocol | suggestion 2 - rejuvenation and whitening | amount applied | application protocol | |
|---|--|-------------------|--|--|-------------------|--|--|
| application | | | | | | | |
| Treatment frequency: Once per week | ginko biloba 1 cc point by point, nappage or microneedli | | point by point, nappage or microneedling | organic silicon | 3 cc | point by point, nappage or microneedling | |
| (approx. 6 – 10 sessions) Maintenance treatment: | biotin hidrixin | 1 cc | application deep: 1mm to 2mm | vit. a | 2 cc | application deep: 1mm to 2mm | |
| 1 session every4-6 weeks | dexpantenol | 1 cc | amount per puncture: 0,01 cc - 0.2 cc | dexpantenol | 1 cc | amount per puncture: 0,01 cc = 0.2 cc | |

main ingredients Pantenol 20%

presentation 5 ml x 10 ampoules

prof. dmae





• **Keywords:** Flaccidity, Strong Tensor Effect

The DMAE ampoules improve the appearance of flaccid skin. With a reaffirming and toning action, DMAE provides a facial or body lifting effect. It also hydrates the skin, protecting it against the free radicals. It stimulates collagen and elastin production and is indicated to prevent skin aging and flaccidity.



product information

main characteristics & effects

Lifting Effect, anti-sagging. increase production of acetylcholine (Ach), a neurotransmitter that's crucial for helping nerve cells

send signals, including REM sleep, muscle contractions, and pain responses.

recommended for

Flaccidity, Strong Tensor Effect

usage

Can be used topically, transdermal with virtual mesotherapy (iontophoresis or electroporation), with RadioFrequency or ultrasound, with micro-needling (derma-Roller or dermapen) and with other mesotherapy procedures.

application Treatment frequency: Every 2 – 3 weeks (approx. 5 – 10 sessions) Maintenance treatment: 1 session every 1-2 months

| suggestion 1 body firming | amount applied | application protocol | suggestion1-hair loss | amount applied | application protocol |
|---------------------------|-------------------|--------------------------------------|-----------------------|-------------------|--|
| organic silicon 2 cc | | point by point, papule or nappage | ginko biloba | 1 cc | point by point, nappage or microneedling |
| dmae 2 cc | | application deep: 2mm to 4mm | biotin hidrixin | 1 cc | application deep: 1mm to 2mm |
| oligolements | 5 cc | amount per puncture: 0,1 cc - 0,2 cc | dexpantenol | 1 cc | amount per puncture: 0,02 cc - 0,5 cc |
| l-carnitine | 2 cc | | | | |

main ingredients

Dimethylaminoethanol Tartrate 3%

presentation

prof. dna

application areas • face & body

• **Keywords:** scars, wrinkles, antiaging, dry skin, smoker skin, hair loss

Its active ingredient with an excellent antioxidant and moisturizing effect protects the cell membranes from oxidative degradation. It promotes dead cell renovation and restores connective tissue. It prevents damaged collagen caused by exposure to sun radiation, oxidative stress and tobacco.



product information

main characteristics & effects

Natural polymer, excellent antioxidant and moisturizing capabilities that protect the cell membranes from oxidative degradation,

reconstruct connective tissue stimulates the healing processes.

recommended for

Strech marks/ scars, wrinkles, antiaging, dry skin, smoker skin, hair loss

usage

Can be used topically, transdermal with virtual mesotherapy (iontophoresis or electroporation), with RadioFrequency or ultrasound, with micro-needling (derma-Roller or dermapen) and with other mesotherapy procedures.


application Treatment frequency: Every 2 weeks (approx. 5–10 sessions)
Maintenance treatment: 1 session every 1-2 months

| suggestion 1 wrinkles/ antiaging | amount applied | application protocol | suggestion 2-rejuvenation | amount applied | application protocol | suggestion 3-rejuvenation | amount applied | application protocol |
|--|--|--|------------------------------|-------------------|---|------------------------------|-------------------|---|
| dna ampoules | npoules 2 cc point by point, papule or nappage | | dna ampoules | 2 CC | point by point or nappage | dna ampoules | 2 cc | point by point, papule or nappage |
| vitamin a | 2 cc | application deep: 2mm to 4mm | b-complex | 2 CC | application deep: vitamin a | | 2 cc | application deep: 2mm to 4mm |
| collagen pyruvate | 2 cc | amount per puncture: 0,01 cc - 0,2 cc | oligoelements | 2 cc | amount per puncture: 0,01 cc - 0,2 cc per injection | collagen pyruvate | 2 cc | amount per puncture: 0,1 cc - 0,2 cc |
| organic silicon | nic silicon 2 cc | | | | · | | | |

main ingredients

presentation 5 ml x 10 ampoules

• face & body



professional • ampoules

prof. four vit. b

• Keywords: Revitalization, Regeneration, Melasma, Acne

Due to its active components the four vit. B ampoule helps in skin regeneration, creating new cells, reducing the signs of aging and eliminating blemishes. It helps improve melasma and psoriasis, prevents skin from aging and reduces the appearance of acne and oily skin. It revitalizes hair and skin.



product information

main characteristics & effects

Complex of vitamin B, involved in many cell regulatory processes and acts as a coenzyme;

recommended for

Revitalization, Regeneration, Melasma, Acne

usage

Can be used topically, transdermal with virtual mesotherapy (iontophoresis or electroporation), with RadioFrequency or ultrasound, with micro-needling (derma-Roller or dermapen) and with other mesotherapy procedures.

| application |
|----------------------------|
| Treatment frequency: |
| Every 2 weeks |
| (approx. 5-10 sessions) |
| Maintenance treatment: |
| 1 session every 1-2 months |
| |

| suggestion 1 stretch marks | stretch amount applied application protocol applied point by point, papule, | | suggestion 2-meso glow | | | suggestion 3-whitening/ melasma | amount applied | application protocol |
|----------------------------------|---|--|---------------------------|------|--|---------------------------------------|-------------------|---|
| hyaluronic + dmae (hd) | | | four vit. b | 2 cc | point by point, nappage or microneedling | fusion whitening | 3 cc | point by point, nappage or microneedling |
| asian centella | 2 cc | application deep: 2mm to 4mm | oligoelements | 2 cc | application deep: 2mm to 4mm | four vit. b | 2 cc | application deep: 1mm to 2mm |
| four vit. b | 2 cc | amount per puncture: 0,01 cc - 0,2 cc | organic silicon | 2 cc | amount per puncture: 0,01 cc - 0,2 cc | | | amount per puncture: 0,01 cc - 0,2 cc |

main ingredients


Pyridoxine (Vit. B6), Thiamine HCL (Vit. B1), Folic acid (Vit. B9) Niacinamide (Vit. B3), Cyanocobalamin (Vit. B12)

presentation

prof. ginkgo biloba

• **Keywords:** Skin aging, hair loss, dark circles

The natural ingredients of the Ginkgo Biloba ampoules improve the blood circulation, increasing the micro capillaries and reinforcing the blood vessel walls. This double action helps stimulate localized lipolysis and treat cellulite. Ginkgo Biloba is beneficial for anti-aging and hair loss treatments and helps reduce dark circles under your eyes.



application areas



product information

usage

main characteristics anti-inflammatory and antioxidant properties; dilates the micro-capillaries, increasing the blood circulation. Contains flavonoids and terpenes, reduces capillary permeabilit, increasing the synthesis of collagen along the vessel walls.

discreptions, reduces copinion, permeasing are systemess or consiger along the resect many

recommended for Skin aging, hair loss, dark circles

Can be used topically, transdermal with virtual mesotherapy (iontophoresis or electroporation), with RadioFrequency, ultrasound, with micro-needling (derma-Roller or dermapen) and with other mesotherapy procedures.

suggestion 1 - hair loss application protocol amount applied application protocol application ginko biloba point by point or nappage point by point or nappage Treatment frequency: Every 2 - 3 weeks (approx. 5 – 10 sessions)

Maintenance treatment: biotin hidrixin application deep: 1mm to 2mm ginko biloba 1 cc application deep: 1mm to 2mm 1 session every 4-6 weeks dexpanthenol 1 cc amount per puncture: 0,1 cc - 0,2 cc amount per puncture: 0,1 cc - 0,2 cc

main ingredients Ginkgo Biloba Leaf 4%

presentation 2 ml x 10 ampoules

• face



professional • ampoules

prof. glutathione

• **Keywords:** Whitening, Antiaging, Revitalization

The ingredients of Glutathione ampoules provide essential detoxifying properties that inhibit melanin depigmentation as well as prevent the damage caused by external factors.



product information

main characteristics & effects Strong antioxidant and a detoxifying agent; give skin-lightening effects, inhibiting the tyrosinase enzyme during melanin synthesis

recommended for Whitening, Antiaging, Revitalization

usage

Can be used topically, transdermal with virtual mesotherapy (iontophoresis or electroporation), with RadioFrequency, ultrasound, with micro-needling (derma-Roller or dermapen) and with other mesotherapy procedures.

suggestion 1 whitening amount applied suggestion 3-meso glow amount applied application protocol application protocol application protocol application point by point, nappage or microneedling point by point, nappage or microneedling glutathione glutathione glutathione Treatment frequency: Every 2 weeks (approx. 5– 10 sessions)

Maintenance treatment: 1 session every 1-2 months amount per puncture: 0,01 cc - 0,2 cc hyaluronic acid 3,5% amount per puncture: 0,01 cc - 0,2 cc organic silicon 1 cc

main ingredients Glutathione 20%

presentation 5 ml x 10 ampoules

application areasbody



professional • ampoules

prof. hyaluronidase liquid

• **Keywords:** Cellulie, Fat Reduction, Water Retention

Hyaluronidase liquid contains ingredients that act as diffuser agents in the elimination of water retention and adipocytes. It increases the permeability of connective tissue and absorption of fluids.



product information

main characteristics & effects

enzyme effective to fibrosis associated to cellulite. Prevents the hyperpolymerization of glycosaminoglycans responsible for water retention, acting directly to remove the retained liquid and reduce the adjocaves volume.

for water retention, acting directly to remove the retained liquid and reduce the adipocytes volume.

recommended for

Cellulie, Fat Reduction, Water Retention

usage

Can be used topically, transdermal with virtual mesotherapy (iontophoresis or electroporation), with RadioFrequency, ultrasound and with other mesotherapy procedures.

application
Treatment frequency:
Every 2 – 3 weeks
(approx. 6 – 10 sessions)
Maintenance treatment:
1 session every 3 months

| suggestion 1 - lypolysis | amount applied | application protocol | suggestion 2 - lypolysis | amount applied | application protocol |
|--------------------------|-------------------|--|--------------------------|-------------------|--|
| phosphatidylcholine | andication deep | | hyaluronidase liquid | 5 cc | point by point or nappage |
| hyaluronidase liquid | | | l-carnitine | 5 cc | application deep: 8mm to 13mm |
| artichoke | 5 cc | amount per puncture 0,2 cc - 0,5 cc | artichoke | 5 cc | amount per puncture 0,3 cc - 0,5 cc |

main ingredients

Hyaluronidase 1500 U.I.

presentation

• face & body



professional • ampoules

prof. l-carnitine

• Keywords: Weight Control, Burn Fat, Cellulite

Hyaluronidase liquid contains ingredients that act as diffuser agents in the elimination of water retention and adipocytes. It increases the permeability of connective tissue and absorption of fluids.



product information

main characteristics & effects

amino acid derivative that helps transport fatty acids into the mitochondria and burn fat to produce energy.

recommended for

Weight Control, Burn Fat, Cellulite

usage

Can be used topically, transdermal with virtual mesotherapy (iontophoresis or electroporation), with RadioFrequency, ultrasound, with microneedling (dermapen or derma-Roller) and with other mesotherapy procedures.

application
Treatment frequency:
Every 2 weeks
(approx. 6–10 sessions)
Maintenance treatment:
1 session every 3 months

| suggestion 1 - lypolysis | amount applied | application protocol | suggestion 2-lipolysis | amount applied | application protocol | suggestion 3-cellulite | amount applied | application protocol |
|-----------------------------|-------------------|---|---------------------------|-------------------|---|---------------------------|-------------------|---|
| fat burner | 5 cc | point by point | deoxycholic | 5 cc | cc point by point glutathione | | 5 cc | point by point |
| l-carnitine | 5 cc | application deep: 8mm to 13mm | l-carnitine | 5 cc | application deep: 8mm to 13mm | vitamin c | 2 cc | application deep: 8mm to 13mm |
| artichoke | 5 cc | amount per puncture: 0,2 cc - 0,5 cc | artichoke | 5 cc | amount per puncture: 0,2 cc - 0,5 cc | vitamin a | 5 cc | amount per puncture: 0,2 cc - 0,5 cc |
| | | | | | | caffeine | 1 cc | |

main ingredients

Carnitine 20%

presentation

prof. melilotus





• Keywords: Blood Flow Improver, Cellulite

The ingredients of the Melilotus ampoules help reduce the fragility and permeability of the blood vessels through vasoconstriction. This prevents destruction of Vitamin C in the body due to oxidation and loss of collagen. It improves the local blood flow and is an excellent aid to fight cellulite, promoting the elimination of fatty acids and water retention.



product information

main characteristics & effects

yellow-flowered herbaceous medicinal plant, with anti-inflammatory and vascular-protective properties. improve in quality and speed of the venous return and increased drainage of lymphatic fluid via direct stimulation of the lymphatic vessels.

recommended for

Blood Flow Improver, Cellulite

usage

Can be used topically, transdermal with virtual mesotherapy (iontophoresis or electroporation), with RadioFrequency, ultrasound, with microneedling (dermapen or derma-Roller) and with other mesotherapy procedures.

application
Treatment frequency:
Every 2 – 3 weeks
(approx. 6 – 10 sessions)
Maintenance treatment:
1 session every 3 months

| | suggestion 1 - cellulite amount applied ap | | application protocol | suggestion 2 - cellulite | amount applied | application protocol | | |
|--|---|------|----------------------|--------------------------|-------------------|----------------------------------|--|--|
| | asian centella | 5 cc | point by point | organic silicon | 5 cc | point by point or nappage | | |
| | melliotus 2 cc application deep: 8mm to 13mm caffeine 1 cc l-carnitine 5 cc amount per puncture 0,2 cc - 0,5 cc | | | melilotus | 2 cc | application deep: 8mm to 13mm | | |
| | | | artichoke | 5 cc | | | | |
| | | | | | | | | |

main ingredients

Rutin, Melilotus Officinalis Extract

presentation

prof. oligoelements

• Keywords: Anti-aging, mineral supplement

The oligoelements are essential for the healthy functioning of the skin and contain crucial properties to maintain a young look. The oligoelement ampoules contain ingredients that regulate and rebalance the skin condition. They are used as an aid in the treatment of cellulite, localized fat, flaccidity, skin aging and damage.





product information

main characteristics & effects

antioxidant properties to protect against premature aging of the skin. help to protect skin from oxidative damage. controls the

production of oil in the skin and helps control some of the hormones that can cause acne

recommended for

Anti-aging, mineral supplement

usage

Can be used topically, transdermal with virtual mesotherapy (iontophoresis or electroporation), with RadioFrequency, ultrasound, with microneedling (dermapen or derma-Roller) and with other mesotherapy procedures.

application Treatment frequency: Every 2 weeks (approx. 5–10 sessions)
Maintenance treatment: 1 session every 1-2 months

| suggestion 1 - meso glow | glow applied application protocol iit. b 2 cc point by point, papule or nappage application cleen: | | suggestion 2-lipolysis | amount applied | | | amount applied | application protocol |
|-----------------------------|--|--|---------------------------|-------------------|--|-----------------|-------------------|--|
| four vit. b | | | dna gel | 2 cc | point by point, papule or nappage | organic silicon | 2 cc | point by point, papule or nappage |
| olioelements | | | glutathione | 2 cc | application deep: 2mm to 4mm | dmae | 2 cc | application deep: 2mm to 4mm |
| organic silicon | 2 cc | amount per puncture: 0,01 cc - 0,2 cc | oligoelements | 2 cc | amount per puncture: 0,01 cc - 0,2 cc | oligoelements | 2 cc | amount per puncture: 0,01 cc - 0,2 cc |

main ingredients

Cobalt Gluconate, Zinc Gluconate, Nickel Gluconate

presentation

application areasface & body



prof. organic silicon

• Keywords: Regenerating, Skin Aging, Stretch Marks

The Organic Silicon ampoules contain ingredients that have a smoothing and toning effect, delaying the skin aging process. This solution restores strength, flexibility and elasticity to the collagen and elastin of the connective tissues. It moisturizes and renews the cells providing firmness and tonicity.



product information

main characteristics third most abund & effects skin strength and

third most abundant trace element in the human body; is important for synthesis of collagen and for activating, improving

skin strength and elasticity.

recommended for Regenerating, Skin Aging, Stretch Marks

Can be used topically, transdermal with virtual mesotherapy (iontophoresis or electroporation), with RadioFrequency,

ultrasound, with microneedling (dermapen or derma-Roller) and with other mesotherapy procedures.

| application | suggestion 1 - cellulite | amount applied | application protocol | suggestion 2-stretch marks/scars | amount applied | application protocol | suggestion 3-lightening | amount applied | application protocol |
|--|-----------------------------|-------------------|--|--|-------------------|--|----------------------------|-------------------|--|
| Treatment frequency: | organic silicon | 5 cc | point by point, papule or nappage | organic silicon | 2 cc | point by point, papule or nappage | glutathione | 3 cc | point by point, papule or nappage |
| Every 2 weeks (approx. 5–10 sessions) | cellestabyl | 2 cc | application deep: 2mm to 4mm | hyaluronic acid + dmae | 3 cc | application deep: 2mm to 4mm | vitamin c | 1 cc | application deep: 2mm to 4mm |
| Maintenance treatment: 1 session every 1-2 months | l-carnitine | 5 cc | amount per puncture: 0,01 cc - 0,2 cc | chondroitin mesoplus | 2 cc | amount per puncture: 0,01 cc - 0,2 cc | organic silicon | 2 cc | amount per puncture: 0,01 cc - 0,2 cc |
| | caffeine | 1 cc | | | | | | | |

main ingredients

usage

presentation 5 ml x 10 ampoules

• face & body



professional • ampoules

prof. organic silicon & dmae

• Keywords: Anti-aging, Firming

The ingredients of Organic Silicon & DMAE ampoules provide properties to combat sagging, cellulite and skin aging, improving skin elasticity and firmness.



product information

main characteristics & effects

Combination that will improve skin strenght and firmness.

recommended for

Anti-aging, Firming

usage

Can be used topically, transdermal with virtual mesotherapy (iontophoresis or electroporation), with RadioFrequency, ultrasound, with microneedling (dermapen or derma-Roller) and with other mesotherapy procedures.

application
Treatment frequency:
Every 2 – 3 weeks
(approx. 5 – 10 sessions)
Maintenance treatment:
1 session every 1-2 months

| suggestion 1 - stretch marks/scars | amount applied | application protocol | suggestion 2 - antiaging/ wrinkles | amount applied | application protocol |
|---|--------------------------------|---|---------------------------------------|-------------------|---|
| collagen pyruvate | microneeding application deep: | | hyaluronic acid 3,5% | 1 cc | point by point, nappage or microneeding |
| organic silicon & dmae | | | organic silicon & dmae | 3 cc | application deep: 1mm to 4mm |
| chondroitin mesoplus 2 cc amount per puncture 0,01 cc - 0,2 cc per inject | | amount per puncture 0,01 cc - 0,2 cc per injection | argireline | 2 cc | amount per puncture 0,01 cc - 0,2 cc per injection |

main ingredients

Methylsilanol Mannuronate, Dimethylaminoethanol Tartrate

presentation



professional • ampoules

prof. phosphatidylcholine

• Keywords: Localized fat, Lipolysis

Phosphatidylcholine is indicated in the treatment of weight loss and localized fat deposits. The ingredients of the phosphatidylcholine ampoules dissolve the stored fat in the adipocytes and reshape body contour.



product information

main characteristics & effects

Phospholipid derived from soybean lecithin's, induced a decrease in mature adipocyte viability, causing fat pads reduction in size.

recommended for

Localized fat, Lipolysis

usage

Can be used topically, transdermal with virtual mesotherapy (iontophoresis or electroporation), with RadioFrequency, ultrasound and with other mesotherapy procedures.


application
Treatment frequency:
Every 2 weeks
(approx. 6-10 sessions)
Maintenance treatment:
1 session every 3 months

| suggestion 1-lipolysis | amount applied | application protocol | suggestion 2-lipolysis | amount applied | application protocol | suggestion 3-lipolysis | amount applied | application protocol |
|---------------------------|-------------------|---|---|-------------------|---|---------------------------|----------------------------------|---|
| phosphatidyl- choline | | | phosphatidyl- choline | 5 cc | point by point | phosphatidyl- choline | 5 cc | point by point |
| l-carnitine | 5 cc | application deep: 8mm to 13mm | fusion cellulite 5 cc application deep: hyaluror liquid | | hyaluronidase liquid | 5 cc | application deep: 8mm to 13mm | |
| artichoke | 5 cc | amount per puncture: 0,2 cc - 0,5 cc | | | amount per puncture: 0,2 cc - 0,5 cc | artichoke | 5 cc | amount per puncture: 0,2 cc - 0,5 cc |

main ingredients

Phosphatidylcholine 5%

presentation



• face & body



product information

presentation

5 ml x 10 ampoules

professional • ampoules

prof. serum solution

• **Keywords:** Cellulite, Fat Burning, diluting protocols

The ingredients of the Serum Solution are excellent to help in the treatment of cellulite and localized fat, helping to break down fat cells and to eliminate water retention.



main characteristics Salt supplement and an electrolyte that regulates the amount of water in your body. & effects recommended for Cellulite, Fat Burning, diluting protocols Can be used topically, transdermal with virtual mesotherapy (iontophoresis or electroporation), with RadioFrequency, ultrasound usage and with other mesotherapy procedures. suggestion 1 - lipolysis - body suggestion 2 - lipolysis - body amount applied application protocol application protocol amount applied prof enzyme 1500 U.I. point by point hyaluronidase 1500 U.I. point by point application application deep: 8mm to 13mm application deep: 8mm to 13mm serum solution serum solution 10 cc Insert the content of each Serum solution in the vial to dilute it. Shake it after to make sure all lyophilized content is diluted. Ready to apply. Insert the content of each Serum solution in the vial to dilute it. Shake it after to make sure all lyophilized content is diluted. Ready to apply. main ingredients Sodium Chloride 0.9%



professional • ampoules

prof. laureth

• **Keywords:** Sclerosis, spider veins, couperosis, stretch marks

The Venolaureth ampoules contain ingredients that help capture water through the stratum corneum, helping to hydrate the lipid mantle and epidermis. It has an important role improving the varicose veins look. It is an excellent aid in the treatment of sclerosis, vascular spiders and couperosis.



product information

main characteristics & effects

is a sclerosing agent and have also anesthetic properties, as well as anti-itch properties.

recommended for

Sclerosis, spider veins, couperosis, stretch marks

usage

Can be used topically, transdermal with virtual mesotherapy (iontophoresis or electroporation), with RadioFrequency, ultrasound, with microneedling (dermapen or derma-Roller) and with other mesotherapy procedures.

| | suggestion 1 - stretch marks / scars | amount applied | application protocol |
|-------------|---|-------------------|--|
| | hyaluronic acid + dmae | 3 cc | point by point, nappage or microneeding |
| application | laureth | 2 CC | application deep: 1mm to 4mm |
| | organic silicon | 2 cc | amount per puncture: 0,01 cc - 0,2 cc |

Great option to apply topically after peeling if there skin is more sensitive and reduce burn effect

main ingredients


Laureth - 9 0,5%

presentation





The Vit A ampoules contain ingredients with properties that promote skin moisturizing and elasticity, work as a dermal antioxidant destroying the free radicals that cause damage to the tissues and cells.



application areas



product information

main characteristics Anti-oxidant, promote RNA synthesis, that produces new and healthy cells in skin. can help treat and prevent inflammatory acne & effects lesions, increase skin cell growth to heal lesions and scars and decrease sebum production.

recommended for Acne, Skin Aging, Stretch Marks

Can be used topically, transdermal with virtual mesotherapy (iontophoresis or electroporation), with RadioFrequency, usage ultrasound, with microneedling (dermapen or derma-Roller) and with other mesotherapy procedures.

| | suggestion 1- stretch mark | amount applied | application protocol | suggestion 2-wrinkles | amount applied | application protocol | suggestion 3- rejuvenation & glow | amount applied | application protocol |
|--|-------------------------------|-------------------|--|--------------------------------|-------------------|--|--------------------------------------|-------------------|--|
| application Treatment frequency: Every 2 weeks | organic silicon & dmae | 2 cc | point by point, papule or microneedling | hyaluronic acid + dmae (hd) | 3 cc | point by point, papule or microneedling | fusion whitening | 3 cc | point by point, papule or microneedling |
| (approx. 5– 10 sessions) Maintenance treatment: | collagen pyruvate | 2 cc | application deep: 2mm to 4mm | argireline | 2 cc | application deep: 2mm to 4mm | vit. a | 2 cc | application deep: 2mm to 4mm |
| 1 session every 1-2 months | vit. a | 2 cc | amount per puncture: 0,01 cc - 0,2 cc | vitamin a | 2 cc | amount per puncture: 0,01 cc = 0,2 cc | | | amount per puncture: 0,01 cc - 0,2 cc |

main ingredients Retinyl Palmitate 0,1%

presentation 2 ml x 10 ampoules

• face & body



professional • ampoules

prof. vitamin c

• **Keywords:** Wrinkles, anti-aging, sun spots, photo-aging, acne scars

The ingredients of the Vitamin C ampoules are a revitalizing and antioxidant solution that neutralizes the free radicals, inhibits melanin production, increases collagen synthesis and skin elasticity.



product information

main characteristics & effects

 $Stimulate\ collagen\ synthesis\ and\ assist\ in\ antioxidant\ protection\ against\ UV-induced\ photodamage.\ Anti-oxidant.$

recommended for

Wrinkles, anti-aging, hyperpigmentation, sun spots, photo-aging, acne scars $\,$

usage

Can be used topically, transdermal with virtual mesotherapy (iontophoresis or electroporation), with RadioFrequency, ultrasound, with microneedling (dermapen or derma-Roller) and with other mesotherapy procedures.


application
Treatment frequency:
Every 2 weeks
(approx. 5- 10 sessions)
Maintenance treatment:
1 session every 1-2 months

| suggestion 1- stretch marks | amount applied | application protocol | suggestion 2-wrinkles | amount applied | application protocol | suggestion 3- meso glow | amount applied | application protocol |
|--------------------------------|-------------------|--|--------------------------|-------------------|--|----------------------------|-------------------|--|
| dna gel | 2 cc | point by point, papule or microneedling | hyaluronic acid 3,5 % | 1 cc | point by point, papule or microneedling | glutathione | 3 cc | point by point, papule or microneedling |
| collagen pyruvate | 2 cc | application deep: 2mm to 4mm | argireline | 2 cc | application deep: 2mm to 4mm | vit. c | 2 cc | application deep: 1mm to 2mm |
| vit. c | 2 cc | amount per puncture: 0,01 cc - 0,2 cc | vitamin c | 2 cc | amount per puncture: 0,01 cc - 0,2 cc | vit. a | 2 cc | amount per puncture: 0,01 cc - 0,2 cc |

main ingredients

Ascorbic acid 20%

presentation





professional • vials

prof. argireline 7

• Keywords:

is a powerful hexapeptide which creates a natural Botox effect on the skin by blocking signals from the nerve to the muscle, preventing neurotransmitters from being released It is an efficient anti aging solution that prevents and reduces expression lines.



product information

main characteristics & effects

Formula with higher concentration to increase prevention on dynamic wrinkles from forming, interfering with a protein receptor complex which helps cause muscle movement.

recommended for

Wrinkle treatment, "Bar Code" on the upper lip

usage

Can be used topically, transdermal with virtual mesotherapy (iontophoresis or electroporation), with RadioFrequency, ultrasound, with microneedling (dermapen or derma-Roller) and with other mesotherapy procedures.

application Treatment frequency: Every 2 weeks (approx. 8 sessions)

Maintenance treatment: 1 session every 1-2 months

| suggestion 1- lifting | amount applied | application protocol | suggestion 2-antiaging | amount applied | application protocol | suggestion 3- meso glow | amount applied | application protocol |
|---------------------------|-------------------|--|---------------------------|-------------------|--|----------------------------|-------------------|--|
| hyaluronic acid & dmae | 2 cc | point by point, papule or microneedling | four vit. b | 3 cc | point by point, papule or microneedling | hyaluronic acid 3,5% | 1 66 | point by point, papule or microneedling |
| collagen pyruvate | 2 cc | application deep: 2mm to 4mm | argireline | 2 cc | application deep: 1mm to 4mm | argireline | 2 cc | application deep: 1mm to 4mm |
| argireline | 2 cc | amount per puncture: 0,01 cc - 0,2 cc | vitamin a | 2 cc | amount per puncture: 0,01 cc - 0,2 cc | vit. c | 2 cc | amount per puncture: 0,01 cc - 0,2 cc |

main ingredients

Argireline 7%

presentation

10 ml x 5 vials

• face & body



professional • vials

prof. deoxycholate

• **Keywords:** Localized fat, double chin, lypolisis

Deoxycholate helps in the breakdown and absorption of dietary fat. When applied into the fat, it destroys fat cells, and no longer these cells will store or accumulate fat. It is recommended for beneath the chin, resulting in a reduction of localized fat.



product information

main characteristics & effects

Synthetic deoxycholic acid, it works by disrupting the cell membrane of adipose cells and stimulating targeted

disintegration of fat cells.

recommended for

Localized fat, double chin, lypolisis

usage

Can be used topically, transdermal with virtual mesotherapy (iontophoresis or electroporation), with RadioFrequency, ultrasound, with microneedling (dermapen or derma-Roller) and with other mesotherapy procedures.

application Treatment frequency: Every 2 weeks (approx. 6-10 sessions)

Maintenance treatment: 1 session every 3 months

| suggestion 1- lipolysis | amount applied | application protocol | suggestion 2-double chin | amount applied | application protocol | suggestion 3- double chin | amount applied | application protocol |
|----------------------------|-------------------------------------|---|-----------------------------|-------------------|--|------------------------------|-------------------|--|
| deoxycholate | oxycholate 5 cc point by point I-ca | | I-carnitine | 2 cc | point by point | deoxycholate | 3 cc | point by point |
| l-carnitine | 5 cc | application deep: 8mm to 13mm | organic silicon | 1 cc | application deep: 6mm to 8mm | l-carnitine | 1 cc | application deep: 6mm to 8mm |
| artichoke | 5 cc | amount per puncture: 0,2 cc - 0,5 cc | deoxycholate | 2 cc | amount per puncture: 0,2cc - 0,5 cc | four vit. b | 1 cc | amount per puncture: 0,2cc - 0,5 cc |

main ingredients

Sodium Deoxycholate 10%

presentation

10 ml x 5 vials

application areas • face & body



prof. deoxycholic 1500 U.I.

- Keywords:
- deoxycholate 1500 U.I.

Deoxycholate helps in the breakdown and absorption of dietary fat. When applied into the fat, it destroys fat cells, and no longer these cells will store or accumulate fat. It is recommended for beneath the chin, resulting in a reduction of localized fat.



product information

main characteristics Synthetic deoxycholic acid in a higher concentration. It works by disrupting the cell membrane of adipose cells and stimulating & effects

Localized fat, double chin, lypolisis

targeted disintegration of fat cells.

Can be used topically, transdermal with virtual mesotherapy (iontophoresis or electroporation), with RadioFrequency, usage

ultrasound and with other mesotherapy procedures.

application Treatment frequency: Every 2 - 3 weeks (approx. 6-10 sessions) Maintenance treatment: 1 session every 3 months

recommended for

| suggestion 1- lipolysis | amount applied | application protocol point by point | suggestion 2-double chin | amount applied | application protocol point by point | |
|--|-----------------------|--|---|----------------|--|--|
| Prof Deoxycholate 1500 U.I | 1 vial | application deep: 8mm to 13mm | Prof Deoxycholic 1500 U.I. | 1 vial | application deep: 6mm to 8mm | |
| serum solution 10 cc | | amount per puncture: 0.2cc - 0,5cc | serum solution | 10 cc | amount per puncture: 0.2cc - 0,5cc | |
| Dilute Prof Deoxycholate 15 until 20 cc per session | 00 U.I with 10cc of S | erum Soluion. Can be used on body | Dilute Prof Deoxycholate 1500 U.I with 10cc of Serum Soluion. Use on double chin till 5 cc. | | | |

main ingredients Sodium Deoxycholate 1500 U.I.

presentation 1500 U.I. x 5 vials

application areas

• face & body



prof. dna gel

• **Keywords:** Revitalization, Melasma, Psoriasis, Stretch Marks/ Scars

Its active ingredient with an excellent antioxidant and moisturizing effect protects the cell membranes from oxidative degradation. It promotes dead cell renovation and restores connective tissue, stimulating the healing processes. It prevents damaged collagen caused by exposure to sun radiation, oxidative stress and tobacco.



product information

main characteristics Natural polymer, excellent antioxidant and moisturizing capabilities that protect the cell membranes from oxidative & effects degradation, reconstruct connective tissue stimulates the healing processes.

recommended for Revitalization, Melasma, Psoriasis, Stretch Marks/ Scars

Can be used topically, transdermal with virtual mesotherapy (iontophoresis or electroporation), with RadioFrequency, usage ultrasound, with microneedling (dermapen or derma-Roller) and with other mesotherapy procedures.

suggestion 1-stretch marks amount applied suggestion 2 -stretch marks suggestion 3-meso glow amount applied application protocol application protocol application protocol application point by point, nap-page or microneedling dna gel I-carnitine dna gel Treatment frequency: Every 2 weeks (approx. 5-10 sessions)

Maintenance treatment: 2 cc organic silicon 2 cc collagen pyruvate 2 cc 1 session every 1-2 months vitamin c deoxycholate four vit. b 2 cc

Sodium DNA 2,5% main ingredients

presentation 5 ml x 5 vials

application areasface & body



prof. enzyme 1500 U.I.

- **Keywords:** Fat reduction, cellulite, skin tightening, fluid retention
- enzyme 1500 U.I.

acts as a depolymerizant of glycosaminoglycans. It has a high enzymatic activity and works as a diffuser agent of other ingredients. It actuates directly on the elimination of water retention and on the reduction of the adiposities. It exerts a restructured action on the connective tissue and rebalances the skin affected by a hydrolipodystrophy.



| product information | | | | | | | | | | |
|---|--|--|--|-----------------------------|-------------------|--|---------------------------------|-------------------|--|--|
| main characteristics & effects | Biocomplex | Biocomplex of three enzymes that acts on trygliceride metabolismo and will break fat in small sizes. | | | | | | | | |
| recommended for | Fat reduction | at reduction, cellulite, skin tightening, fluid retention, fibrosis, eye lid puffiness | | | | | | | | |
| usage | Can be used topically, transdermal with virtual mesotherapy (iontophoresis or electroporation), with RadioFrequency, ultrasound, with microneedling (dermapen or derma-Roller) and with other mesotherapy procedures. | | | | | | | | | |
| | suggestion 1- lipolysis | amount applied | application protocol point by point | suggestion 2-double chin | amount applied | application protocol point by point | suggestion 3- under eye bags | amount applied | application protocol point by point | |
| application Treatment frequency: | enzyme 1500 | 5 cc | application deep: 8mm to 13mm | enzyme 1500 | 2 cc | application deep: 6mm to 8mm | enzyme 1500 | 1 vial | application deep: 20mm | |
| Every 2 - 3 weeks (approx. 6-10 sessions) Maintenance treatment: | serum solution | 10 cc | amount per puncture: 0.2cc - 0,5cc | serum solution | 10 cc | amount per puncture: 0.2cc - 0,5cc | serum solution | 10 cc | njection amount: 0,1cc - 0,2cc | |
| 1 session every 3 months | Dilute Prof Enzyme with 10cc of Serum Soluion. Can be used on body until 20 cc per session Dilute Prof Enzyme with 10cc of Serum Soluion. Dilute Prof Enzyme with 10cc of Serum Soluion. Dilute Prof Enzyme with 10cc of Serum Soluion. Dilute Prof Enzyme with 10cc of Serum Soluion. | | | | | | | | | |
| main ingredients | Collagenase, | Hyaluro | nidase, Lipase. | | | | | | | |
| presentation | 1500 U.I. x 5 vials | | | | | | | | | |

application areasface & body



presentation

5 ml x 5 vials

prof.hyaluronic acid

• Keywords: Moisturizing, Lines of expression, Skin Aging

Hyaluronic Acid is especially suitable for very dry and dehydrated skin, treatment of wrinkles and expression lines. The active principle of hyaluronic acid, due to its effect on the maintenance of water molecules in the tissue, restores skin hydration, prevents the loss of transepidermal wateR.



product information main characteristics Viscose gel of non-crosslinked hyaluronic acid. Glycosaminoglycans (Gags) or mucopolysaccharides, with great capacity to hold & effects water on dermis, filling the space between collagen and elastin fibers. recommended for Moisturizing, Lines of expression, Skin Aging Can be used topically, transdermal with virtual mesotherapy (iontophoresis or electroporation), with RadioFrequency, ultrasound, usage with microneedling (dermapen or derma-Roller) and with other mesotherapy procedures. suggestion 1-lifting suggestion 2-wrinkles suggestion 3-wrinkles amount applied application protocol application protocol application protocol application point by point, nap-page or microneedling hyaluronic acid 3,5% glutathione 3 cc hyaluronic acid 3,5% Treatment frequency: Every 2 weeks (approx. 5-10 sessions) Maintenance treatment: dmae vitamin a 2 cc argireline 1 session every 1-2 months hyaluronic acid 3,5% amount per puncture: 0,01 cc - 0,2 cc amount per puncture: 0,01 cc - 0,2 cc argireline 2 cc vitamin c 2 cc main ingredients Sodium Hyaluronate 3,5%



• face & body



professional • vials

prof. hyaluronidase 1500 U.I.

• **Keywords:** Water retention, adipocytes, lypolisis

Hyaluronidase contains ingredients that act as diffuser agents in the elimination of water retention and adipocytes. It increases the permeability of connective tissue and absorption of fluids.



product information

main characteristics & effects

 $Higher concentration \ of \ enzyme \ Hyaluronidase \ to \ increase \ more \ effective \ the \ action \ to \ break \ down \ fibrosis \ associated \ to \ down \ fibrosis \ associated \ to \ fibrosis \ fibrosis$ cellulite and adding more strength to remove the retained liquid and reduce the adipocytes volume.

recommended for

Water retention, adipocytes, lypolisis, break down fibrous connective tissue

usage

Can be used topically, transdermal with virtual mesotherapy (iontophoresis or electroporation), with RadioFrequency, ultrasound, and with other mesotherapy procedures.

application Treatment frequency: Every 2 - 3 weeks (approx. 6-10 sessions) Maintenance treatment: 1 session every 3 months


| suggestion 1-lipolysis | | | suggestion 2-lipolysis | amount applied | application protocol point by point | |
|--|--|---------------------------------------|--|--|--|--|
| hyaluronidase 1500 | nyaluronidase 1500 1 vial application deep: 8 mm to 13 mm | | | yaluronidase 1500 1 vial application deep: 8mm to 13mm | | |
| serum solution | 10 cc | amount per puncture: 0,2cc - 0,5cc | artichoke | 10 cc | amount per puncture: 0,2cc - 0,5cc | |
| Dilute Hyaluronidase with 1 per session | occ of Serum Soluion | n. Can be used on body until 20 cc | Dilute Hyaluronidase with 10cc of Serum Soluion. Can be used on body until 20 cc per session. Great option to apply before a Cavitation. | | | |

main ingredients

Hyaluronidase 1500 U.I.

presentation

1500 U.I. x 5 vials



application areasface & body



prof. ppc

• **Keywords:** Localized fat, Lipolysis

Phosphatidylcholine is indicated in the treatment of weight loss and localized fat deposits. The ingredients of phosphatidylcholine help to dissolve the fat stored in the adipocytes and to reshape the body contour.



product information

main characteristics & effects

Phospholipid derived from soybean lecithin's, induced a decrease in mature adipocyte viability, causing fat pads reduction in size.

recommended for

Localized fat, Lipolysis

usage

Can be used topically, transdermal with virtual mesotherapy (iontophoresis or electroporation), with RadioFrequency, ultrasound and with other mesotherapy procedures.

application
Treatment frequency:
Every 2 - 3 weeks
(approx. 6-10 sessions)
Maintenance treatment:
1 session every 3 months

| suggestion 1-lipolysis | amount applied | application protocol | suggestion 2-lipolysis | amount applied | application protocol | suggestion 3-lipolysis | amount applied | application protocol |
|---------------------------|-------------------|---|---------------------------|-------------------|---|---------------------------|-------------------|---|
| phosphatidyl- choline | 5 cc | point by point | phosphatidyl- choline | 5 cc | point by point | phosphatidylcholine | 5 cc | point by point |
| l-carnitine | 5 cc | application deep: 8mm to 13mm | fusion cellulite | 5 cc | application deep: 8mm to 13mm | hyaluronidase liquid | 5 cc | application deep: 8mm to 13mm |
| artichoke | 5 cc | amount per puncture: 0,2 cc - 0,5 cc | | | amount per puncture: 0,2 cc - 0,5 cc | artichoke | 5 cc | amount per puncture: 0,2 cc - 0,5 cc |


main ingredients

Phosphatidylcholine 5%

presentation

5 ml x 5 vials

application areas



prof. tranexamicum

• **Keywords:** Dark Spots, Dark Circles, Melasma


Tranexamicum is a tyrosinase inhibitor, acting as a reducer of the production of melanin to prevent the appearance of dark spots on the skin. It works as a skin conditioner and balancer. It helps diminish blemishes.



product information main characteristics $Hydrophilic\ solution\ prevention\ of\ UV-induced\ pigmentation\ and\ producing\ effective\ skin\ lightening,\ inhibits\ melanin\ synthesis\ not$ & effects by direct action on melanocytes but by the inhibition of the melanocyte activators, inhibiting alpha-MSH and tyrosinase. recommended for Dark Spots, Dark Circles, Melasma Can be used topically, transdermal with virtual mesotherapy (iontophoresis or electroporation), with RadioFrequency, ultrasound, usage with microneedling (dermapen or derma-Roller) and with other mesotherapy procedures. **application protocol** nappage or intradermic injection technique Also great way to apply with dermapen suggestion 1-whitening/melasma amount applied application Application deep: 1mm to 2mm deep in the area with pigmentation or melasma Treatment frequency: Every 2 weeks tranexamicum 1500 1 vial (approx. 5-10 sessions) Maintenance treatment: serum solution 10 cc Amount per puncture: 0,01cc - 0,1cc 1 session every 1-2 months Dilute prof. Tranexamicum with 10cc of Serum Soluion, Use 5ml per session main ingredients Tranexamic Acid 1500 U.I, presentation 1500 U.I. x 5 vials

professional • vials

application areas



prof. vitamin c

• Keywords: Wrinkles, anti-aging, hyperpigmentation, sun spots

The ingredients of the Vitamin C vials are a revitalizing and antioxidant solution that neutralizes the free radicals, inhibits melanin production, increases collagen synthesis and skin elasticity.



product information

main characteristics & effects

 $Stimulate\ collagen\ synthesis\ and\ assist\ in\ antioxidant\ protection\ against\ UV-induced\ photodamage.\ Anti-oxidant.$

recommended for

Wrinkles, anti-aging, hyperpigmentation, sun spots, photo-aging, acne scars $\,$

usage

Can be used topically, transdermal with virtual mesotherapy (iontophoresis or electroporation), with RadioFrequency, ultrasound, with microneedling (dermapen or derma-Roller) and with other mesotherapy procedures.

application
Treatment frequency:
Every 2 weeks
(approx. 5-10 sessions)
Maintenance treatment:
1 session every 1-2 months

| suggestion 1- stretch marks | amount applied | application protocol | suggestion 2-wrinkles | amount applied | application protocol | suggestion 3-meso glow | amount applied | application protocol |
|--------------------------------|-------------------|--|--------------------------|-------------------|--|---------------------------|-------------------|--|
| dna gel | 2 cc | point by point, papuple, nappag or microneedling | hyaluronic acid 3,5% | 1 cc | point by point, papuple, nappag or microneedling | glutathione | 3 cc | point by point, papuple, nappag or microneedling |
| collagen pyruvate | 2 cc | application deep: 2mm to 4mm | argireline | 2 cc | application deep: 2mm to 4mm | vitamin c | 2 cc | application deep: 1mm to 2mm |
| vitamin c | 2 cc | amount per puncture: 0,01 cc - 0,2 cc | vitamin c | 2 cc | amount per puncture: 0,01 cc - 0,2 cc | vitamin a | 2 cc | amount per puncture: 0,01 cc - 0,2 cc |

main ingredients

Ascorbic acid 20%

presentation



application areasface & body



professional • vials

prof. vitamin c 1500 U.I.

- **Keywords:** Wrinkles, anti-aging, hyperpigmentation, sun spots
- vitamin c 1500 U.I.

acts as a depolymerizant of glycosaminoglycans. It has a high enzymatic activity and works as a diffuser agent of other ingredients. It actuates directly on the elimination of water retention and on the reduction of the adiposities. It exerts a restructured action on the connective tissue and rebalances the skin affected by a hydrolipodystrophy.



product information

main characteristics & effects

 $Stimulate\ collagen\ synthesis\ and\ assist\ in\ antioxidant\ protection\ against\ UV-induced\ photodamage.\ Anti-oxidant.$

recommended for

Wrinkles, anti-aging, hyperpigmentation, sun spots, photo-aging, acne scars $\,$

usage

Can be used topically, transdermal with virtual mesotherapy (iontophoresis or electroporation), with RadioFrequency, ultrasound, with microneedling (dermapen or derma-Roller) and with other mesotherapy procedures.

application
Treatment frequency:
Every 2 weeks
(approx. 5-10 sessions)
Maintenance treatment:
1 session every 1-2 months


| suggestion 1-stretch marks | amount applied | application protocol point by point, papule, nappage or microneedling | suggestion 2-meso glow | amount applied | application protocol point by point, papule, nappage or microneedling |
|---|---------------------------------------|---|-----------------------------|----------------------|---|
| vit. c 1500 | 1 vial | application deep: 2mm to 4mm | vit. ¢ 1500 | 1 vial | application deep: 1mm to 2mm |
| organic silicon | amount per puncture: 0,2cc - 0,5cc | | organic silicon | 10 cc | amount per puncture: 0,01cc - 0,2cc |
| | | | glutathione | 5 cc | |
| Dilute prof.Vit.C 1500 U.I. v session and 5ml on face pe | | Silicon. Can use till 10ml on body per | Dilute prof.Vit.C 1500 U.I. | with 10cc of Organic | Silicon. Use 5ml to mix with Glutathione |

main ingredients

Ascorbic acid 1500 U.I.

presentation

1500 U.I. x 5 vials



professional • vials

application areasface & body



prof. vitamin k 1500 U.I.

• Keywords:

Helps in the tissue regeneration and in the cell growth control. It has the effect of reducing dark circles, improving the appearance of expression lines and wrinkles, and gives elasticity to the skin.



| product informat | product information | | | | |
|-----------------------------------|--|--|--|--|--|
| main characteristics & effects | Major form of vitamin K in the tissues, including bone. Increase the natural heal and repair process in damaged skin and reduces up bruises more quickly, aids in the elasticity of your blood vessels as well as blood coagulation, eing able to treat dark circles under the skin, regulating micro circulation. | | | | |
| recommended for | Dark circles, purple discolourations, rosacea, stretch marks,. | | | | |
| usage | Can be used topically, transdermal with virtual mesotherapy (iontophoresis or electroporation), with RadioFrequency, ultrasound, with microneedling (dermapen or derma-Roller) and with other mesotherapy procedures. | | | | |
| main ingredients | Menaquinone-4 (Vit. K2) | | | | |
| presentation | 1500 U.I. x 5 vials | | | | |



Unique ingredient combinations for precise skin treatments

product information

application areasface & body



fusion antiaging

• Keywords:

The Antiaging cocktails combine active ingredients that stimulate collagen synthesis, reduce wrinkles, moisturize, reaffirm the skin and regenerate tissues. With antioxidant properties, they inhibit and reduce facial contractions, preventing the appearance of new expression lines and wrinkles.



main characteristics Liquid solution with specific combination of ingredientes that will promote hydration, firmness, giving a rejuvenation & effects and glowing effect. recommended for Expression lines, eye contour, skin flaccidity, fine lines, wrinkles. Can be used topically, transdermal with virtual mesotherapy (iontophoresis or electroporation), with RadioFrequency, usage ultrasound, with microneedling (dermapen or derma-Roller) and with other mesotherapy procedures. application protocol point by point, nappage or microneedling application protocol point by point, nappage or micronee suggestion 1-antiaging/wrinkles suggestion 2-rejuvenation amount applied amount applied application Treatment frequency: Every 2 weeks application deep: 1mm to 4mm application deep: 2mm to 4mm fusion antiaging fusion antiaging 3 cc 3 cc (approx. 5-10 sessions) Maintenance treatment: 1 session every 1-2 months amount per puncture: 0,1cc - 0,2cc amount per puncture: 0,01cc - 0,2cc argireline 7 2 cc 2 cc

main ingredients Pantenol, DMAE, Organic Silicon, Asian Centella, Sodium Hyaluronate

presentation 10 ml x 5 vials

product information

application areasface & body



fusion cellulite

• Keywords:

The Cellulite cocktails combine active ingredients that reduce cellulite, improve skin firmness and blood flow. At the same time, they stimulate collagen synthesis increasing skin flexibility. Containing stimulating, draining and reaffirming properties, they reduce cellulite and the orange peel look as well as improve blood circulation. They eliminate water retention, contributing to volume reduction.



product information

main characteristics & effects Liquid solution with specific combination of ingredientes that will promote hydration, firmness, giving a rejuvenation and glowing effect.

recommended for

Expression lines, eye contour, skin flaccidity, fine lines, wrinkles.

usage

Can be used topically, transdermal with virtual mesotherapy (iontophoresis or electroporation), with RadioFrequency, ultrasound, with microneedling (dermapen or derma-Roller) and with other mesotherapy procedures.

application
Treatment frequency:
Every 2-3 weeks
(approx. 6-10 sessions)
Maintenance treatment:
1 session every 3 months

| suggestion 1 -cellulite level 3 | amount applied | application protocol | suggestion 2 -lipolysis | amount applied | application protocol |
|------------------------------------|----------------|---------------------------------------|----------------------------|----------------|--------------------------------------|
| fusion cellulite | 5 cc | point by point | fusion cellulite | 5 cc | point by point |
| phosphatydilcholine | 5 cc | application deep: 6mm to 13mm | phosphatydilcholine | 5 cc | application deep: 1mm to 4mm |
| | | amount per puncture: 0,2cc - 0,5cc | Hyaluronidase liquid | 5 cc | amount per puncture: 0,2cc =0,5cc |

main ingredients

Pantenol, DMAE, Organic Silicon, Asian Centella, Sodium Hyaluronate

presentation

application areas • face & body



fusion enzyme

Keywords:

The enzymes Lipase, Collagenase and Hyaluronidase break fat into smaller molecules to be absorbed by the body and quickly released.



product information

main characteristics Biocomplex of three enzymes that acts on trygliceride metabolismo and will break fat in small sizes. & effects

Fat reduction, cellulite, skin tightening, fluid retention, fibrosis, eye lid puffiness recommended for

Can be used topically, transdermal with virtual mesotherapy (iontophoresis or electroporation), with RadioFrequency, usage

ultrasound, with microneedling (dermapen or derma-Roller) and with other mesotherapy procedures.

suggestion 1 -lipolysis application protocol point by point suggestion 2 -double chin application protocol point by point amount applied amount applied application Treatment frequency: Every 2-3 weeks application deep: 6mm to 13mm application deep: 6mm to 8mm fusion enzym 5 cc fusion enzyme 5 cc (approx. 6-10 sessions)


Maintenance treatment: 1 session every 3 months amount per puncture: 0,2cc - 0,5cc amount per puncture: 0,2cc - 0,5cc 2 cc deoxycholate phosphatydilcholine 5 cc

main ingredients Collagenase, Hyaluronidase, Lipase.

presentation 10 ml x 5 vials

application areas





fusion fat

• Keywords:

A powerful treatment to fight cellulite and a localized fat. It activates lipolysis drains and reduces skin flaccidity to get the best slimming.



product information

| main characteristics | Combination of active ingredientes that will support to break down the fat membrane, supporting faster its elimination, |
|----------------------|---|
| & effects | increasing metabolism and detoxifying the body. |

recommended for Fat reduction, Fibrous celulite, Lipolysis.

usage

Can be used topically, transdermal with virtual mesotherapy (iontophoresis or electroporation), with RadioFrequency, ultrasound and with other mesotherapy procedures.

| application | suggestion 1 -lipolysis | amount applied | application protocol | suggestion 2 -lipolysis | amount applied | application protocol |
|---|----------------------------|----------------|---------------------------------------|----------------------------|----------------|---------------------------------------|
| Treatment frequency: Every 2-3 weeks | fusion fat | 5 cc | point by point | fusion fat | 5 cc | point by point |
| (approx. 6-10 sessions) Maintenance treatment: 1 session every 3 months | phosphatydilcholine | 5 cc | application deep: 8mm to 13mm | deoxycholate | 5 cc | application deep: 6mm to 8mm |
| . session every smortans | | | amount per puncture: 0,2cc - 0,5cc | cellestabyl | 2 CC | amount per puncture: 0,2cc = 0,5cc |

main ingredients Caffeine, Organic Silicon, Asian Centella, Hyaluronidase.

presentation 10 ml × 5 vials

application areas • face & body



fusion hair

Keywords:

The Hair vials result from a combination of amino acids, vitamins and minerals. The active ingredients improve significantly the hair structure, regulate the sebum production, stimulate hair growth and reduce loss. They prevent the recurrence of dandruff, preserving the hair scalp. They restore micro-circulation of the scalp and revitalize the hair follicles.



product information

main characteristics & effects

Cocktail that helps in hair loss process and stimulates it regrowth, prolonging the anagen stage of the hair cycle,

representing a reduction of hair loss.

recommended for

Hair loss, revitalize hair

usage

Can be used topically, transdermal with virtual mesotherapy (iontophoresis or electroporation), with RadioFrequency or ultrasound, with micro-needling (derma-Roller or dermapen) and also with tradtitional mesotherapy.

application Treatment frequency: Once per week (approx. 6-10 sessions)

Maintenance treatment: 1 session every 4-6 weeks


| suggestion 1 -hair revitalization | amount applied | application protocol point by point, nappage or microneedling | suggestion 2 -hair loss | amount applied | application protocol point by point, nappage or microneedling |
|--------------------------------------|----------------|---|----------------------------|----------------|---|
| fusion hair | 3 cc | application deep: 1mm to 2mm | fusion hair | 3 cc | application deep: 1mm to 2mm |
| ginkp biloba | 5 cc | amount per puncture: 0,1cc - 0,2cc | re-growth | 1 cc | amount per puncture: 0,2cc - 0,2cc |

main ingredients

Glutathione, Pantenol, Biotin, Organic Silicon

presentation

application areasface & body



fusion hd

• Keywords:

Fusion HD (Sodium Hyaluronate and DMAE) supports and promotes the health of the skin and its elasticity, avoiding the flab, working with a strong moisturizing and firming effect, helping to reduce and smooth out the wrinkles.



product information

main characteristics & effects

Cocktail that combine efficient tensor effect allied with high deep hydration.

recommended for

Powerful moisturizer, wrinkles, scars, stretch marks.

usage

Can be used topically, transdermal with virtual mesotherapy (iontophoresis or electroporation), with RadioFrequency, ultrasound, with microneedling (dermapen or derma-Roller) and with other mesotherapy procedures.

| application |
|----------------------------|
| Treatment frequency: |
| Every 2 weeks |
| (approx. 5-10 sessions) |
| Maintenance treatment: |
| 1 session every 1-2 months |
| • |

| suggestion 1 | | | | suggesti | ion 2 | suggestion 3 | | |
|-------------------------|-------------------|--|----------------------|-------------------|--|------------------------|-------------------|--|
| stretch marks/ scars | amount applied | application protocol: | body firming | amount applied | application protocol: | antiaging/ wrinkles | amount applied | application protocol: |
| collagen pyruvate | 2 CC | point by point, papuple, nappag or | collagen pyruvate | 2 CC | point by point, papuple, nappag or | fusion hd | 3 cc | point by point, papuple, nappag or |
| fusion hd | 3 cc | microneedling application deep: 1mm to 4mm Injection amount: | fusion hd | 3 cc | microneedling application deep: 1mm to 4mm Injection amount: | argireline | 2 cc | microneedling application deep: 1mm to 4mm Injection amount: |
| chondroitin mesoplus | 2 cc | 0,01cc = 0,2cc per injection | asian centella | 5 cc | 0,01cc = 0,2cc per injection | collagen pyruvate | 2 CC | 0,01cc = 0,2cc per injection |

main ingredients

Sodium Hyaluronate 3,5%, DMAE 3%

presentation

application areasface & body



fusion melanopeel

• Keywords:

The active ingredients of fusion melanopeel cocktail provides a rich antioxidant combination recommended to reduce skin problems such as hyperpigmentation. A powerfull cocktail that gives you a youthful appearance.



product information

main characteristics Cocktail that helps in hair loss process and stimulates it regrowth, prolonging the anagen stage of the hair cycle, effects representing a reduction of hair loss.

recommended for Hair loss, revitalize hair

usage

Can be used topically, transdermal with virtual mesotherapy (iontophoresis or electroporation), with RadioFrequency or ultrasound, with micro-needling (derma-Roller or dermapen) and also with traditional mesotherapy.

application protocol point by point, nappage or microneedling application protocol point by point, nappage or microneedling suggestion 2 -rejuvenation suggestion 1 -lightening/melasma amount applied amount applied application Treatment frequency: Every 2 weeks application deep: 2mm to 4mm application deep: 1mm to 4mm fusion melanopeel 3 сс fusion melanopeel 3 сс (approx. 5-8 sessions)

Maintenance treatment: 1 session every 1-2 months amount per puncture: 0,1cc - 0,2cc amount per puncture: vit. a hyaluronic acid 3,5%

main ingredients Glutathione, Pantenol, Biotin, Organic Silicon

presentation 10 ml x 5 vials

application areas • face & body



fusion repair

Keywords:

Is formulated as a strong revitalizing and moisturizing cocktail, suitable for tired and damage skin. The active ingredients that compose this powerful cocktail gives the skin elasticity and helps in treatments like flaccidity, wrinkles and expression lines.



product information

main characteristics Revitalizing cocktail, promoting a skin regeneration, hydration, stimulating collagen and elastin, supporting & effects connective tissue and contributing for healing process.

recommended for Skin damage, scars, acne scars, revitalization, regeneration

Can be used topically, transdermal with virtual mesotherapy (iontophoresis or electroporation), with RadioFrequency, usage ultrasound, with microneedling (dermapen or derma-Roller) and with other mesotherapy procedures.

application Treatment frequency: Every 2 weeks (approx. 5-8 sessions)

Maintenance treatment: 1 session every 1-2 months

| suggestion 1 -scars/ acne scars | amount applied | application protocol point by point, nappage or microneedling | suggestion 2 -rejuvenation/rejen- eration | amount applied | application protocol point by point, nappage or microneedling | |
|------------------------------------|----------------|---|---|----------------|--|--|
| fusion repair | 3 cc | application deep: 1mm to 4mm | fusion repair | 3 cc | application deep: 1mm to 4mm | |
| collagen pyruvate | 2 cc | amount per puncture: 0,01cc - 0,2cc | organic silicon | 2 cc | amount per puncture: 0,1cc - 0,2cc | |

main ingredients DMAE, Sodium DNA, Vit. B12, Vit.C, Retinol, Vit.E, Hyaluronic acid

presentation 10 ml x 5 vials

application areasface & body



out fusion

• Keywords:

mccosmetics out fusion active ingredients are specially indicated to reduce and prevents eyebags and dark circles, reinforce firmness, increase moisture and reduce wrinkles in the sensitive area around the eyes.



product information

main characteristics

Cocktail developed for specific application around the eyes, reducing the conditions of dark circles, "tired eyes" appearance, stimulating micro circulation and reducing fine lines of expression.

recommended for Dark circles, fine lines, wrinkles around the eyes.

usage

Can be used topically, transdermal with virtual mesotherapy (iontophoresis or electroporation), with RadioFrequency, ultrasound, with microneedling (dermapen or derma-Roller) and with other mesotherapy procedures.

application protocol point by point, nappage or microneedling application protocol point by point, nappage or microneedling suggestion 1 -dark circles suggestion 2 -fine lines amount applied amount applied application Treatment frequency: Every 2 weeks application deep: 1mm to 4mm application deep: 1mm to 4mm out fusion out fusion 3 сс (approx. 5-8 sessions)

Maintenance treatment: 1 session every 1-2 months amount per puncture: 0,01cc - 0,2cc amount per puncture: ginkp biloba organic silicon

main ingredients Acetyl-Hexapeptide-8, DMAE, Ascorbic acid, Vit.E, Sodium Pyruvate, Panthenol.

presentation 10 ml x 5 vials

application areasface & body



fusion whitening

• Keywords:

The whitening cocktails are indicated to treat pigmentation and clear the skin. The active ingredients reduce the production of melanin and produce a soft exfoliation in the superficial layers of the skin to eliminate the pigmented cells. They stimulate cell renewal, neutralize the free radicals, improve skin smoothness and reduce the appearance of spots, giving the skin a brighter, glowing look.



product information

main characteristics & effects

Strong antioxidant misture, with hight active ingredients that will promote a rejuvenation on skin and help on process to reduce production of excess melanin

reduce production of excess melanin.

recommended for

 $\label{thm:equivalence} \mbox{Hyperpigmentation, melasma, acne scars.}$

usage

Can be used topically, transdermal with virtual mesotherapy (iontophoresis or electroporation), with RadioFrequency, ultrasound, with microneedling (dermapen or derma-Roller) and with other mesotherapy procedures.

application
Treatment frequency:
Every 2 weeks
(approx. 5-8 sessions)
Maintenance treatment:
1 session every 1-2 months

| suggestion 1 -melasma | amount applied | application protocol point by point, nappage or microneedling | suggestion 2 -fine lines | amount applied | application protocol point by point, nappage or microneedling |
|--------------------------|----------------|---|-----------------------------|----------------|---|
| fusion whitening | 3 cc | application deep: 1mm to 2mm | fusion whitening | 3 cc | application deep: 1mm to 2mm |
| vit. a | 2 cc | amount per puncture: 0,01cc - 0,1cc | four vit. b | 2 cc | amount per puncture: 0,1cc - 0,1cc |

main ingredients

Glutathione, Ascorbic acid, Pyruvic acid

presentation

peelings



sali_cylic



DESCRIPTION

Salicylic, a beta hydroxyl acid, is a superficial peeling and a keratolytic agent which enhances the epidermis and renews the skin. It improves the look of pro-acneic skin, clears spots, revitalizes and gives a glow to aged skin.

ACTIVE INGREDIENTS

Salicylic Acid

RECOMMENDED FOR

Acne-prone skin, Very oily skin, Blocked follicles

salicylic 30 ml



DESCRIPTION

It is indicated for oily skin, prone to acne, blocked follicles and reduction of wrinkles. The active ingredients of the salicylic acid improve the look of blemished and aged skin. With exfoliating, anti-inflammatory, anti-acne and anti--aging properties, it accelerates the removal of dead cells and renews the skin, resulting in visible skin rejuvenation.

Post-peeling 50 ml - A solution that neutralizes the peeling effect, restoring the pH of the skin and that provides a sensation of comfort and coolness.

ACTIVE INGREDIENTS

Salicylic Acid

RECOMMENDED FOR

Acne-prone skin, Very oily skin, Blocked follicles

azelaic

30 ml



DESCRIPTION

Developed for the treatment of acne and cutaneous hyperpigmentation, the active principles of Azelaic Acid contain bacteriostatic properties and exhibit an inhibitory effect on tyrosinase production, reducing melanin synthesis. Post-peeling 50 ml - A solution that neutralizes the peeling effect, restoring the pH of the skin and that provides a sensation of comfort and coolness.

ACTIVE INGREDIENTS

Azelaic Acid

RECOMMENDED FOR

Acne, Hyperpigmentation, Rosacea, Sensitive skin

mandelic

30 ml



It is suitable for aging skin, wrinkles and spots. The active ingredients of the mandelic acid break down the intracellular links, stimulate collagen synthesis and cell regeneration. It has a bacteriostatic effect that regulates blemished, oily and acneic skin. It inhibits the synthesis of melanin and helps renew skin damaged by sun exposure. The mandelic acid is suitable for sensitive and dark skin.

ACTIVE INGREDIENTS

Mandelic Acid

RECOMMENDED FOR

Skin Dryness, Photo-Aging, Wrinkles, Skin Lightening, Skin Flacidity

mccosmeti<u>c</u> §

peelings

jessner

30 ml



DESCRIPTION

It is indicated for scars, skin aging, hyperpigmentation, stretch marks, hands and neck line. Jessner contains active ingredients with antioxidant, purifying, whitening and renewing properties which help reduce sebum production and open clogged sebaceous follicles. They also promote the acne healing process and renew aged and sun damaged skin. The result is a smoother and rejuvenated skin.

Post-peeling 50 ml - A solution that neutralizes the peeling effect, restoring the pH of the skin and that provides a sensation of comfort and coolness.

ACTIVE INGREDIENTS

Resorcinol

RECOMMENDED FOR

Wrinkles and scars, Acne, Psoriasis and Eczema, Hyperpigmentation

lactic

30 ml



DESCRIPTION

It is indicated for oily skin, prone to acne, blocked follicles and reduction of wrinkles. The active ingredients of the salicylic acid improve the look of blemished and aged skin. With exfoliating, anti-inflammatory, anti-acne and anti-aging properties, it accelerates the removal of dead cells and renews the skin, resulting in visible skin rejuvenation.

Post-peeling 50 ml - A solution that neutralizes the peeling effect, restoring the pH of the skin and that provides a sensation of comfort and coolness.

ACTIVE INGREDIENTS

Lactic Acid

RECOMMENDED FOR

Skin Dryness, Photo-aging, Wrinkles, Skin Lightening, Skin Flaccidity

glycolic 30 ml



DESCRIPTION

It is indicated for expression wrinkles, photo-aging, cutaneous spots, acne and scars. The active ingredients of the glycolic acid remove the dead cells from the skin surface, stimulating cellular renewal. It leaves the skin with a young, smooth and uniform appearance.

Post-peeling 50 ml - A solution that neutralizes the peeling effect, restoring the pH of the skin and that provides a sensation of comfort and coolness.

ACTIVE INGREDIENTS

Glycolic Acid

RECOMMENDED FOR

Acne scar, Deep Wrinkles, Photo-Aging

peelings

brightening 50 ml



DESCRIPTION

The main ingredients of this peel are effective in hyperpigmentation treatments, diminishing spots and blemishes from sun exposure, pregnancy and acne origin. It has a whitening effect, giving the skin a brighter look. Post-peeling 50 ml - A solution that neutralizes the peeling effect, restoring the pH of the skin and that provides a sensation of comfort and coolness.

ACTIVE INGREDIENTS

Arbutin, Salicylic Acid

RECOMMENDED FOR

Depigmentation, Blemishes





DESCRIPTION

GSH Peeling is a powerful antioxidant which provides the skin with a radiant glow, redefines pores, improves cutaneous hyperpigmentation, reduces melasma, expression lines and wrinkles, eliminating and preventing acne scars. Post-peeling 50 ml - A solution that neutralizes the peeling effect, restoring the pH of the skin and that provides a sensation of comfort and coolness.

ACTIVE INGREDIENTS

Glutathione

RECOMMENDED FOR

Hyperpigmentation, Melasma, Wrinkles and expression lines, Acne and scars

firming



DESCRIPTION

The active principles of Firming Acid with antioxidant properties provide a moisturizing and rejuvenating treatment, working as an excellent lifting effect. Post-peeling 50 ml - A solution that neutralizes the peeling effect, restoring the pH of the skin and that provides a sensation of comfort and coolness.

ACTIVE INGREDIENTS

Lactic Acid, Dimethylaminoethanol, Bitartarte (DMAE)

RECOMMENDED FOR

Moisturize, Rejuvenate, Lifting effect

peelings

mccosmeti<u>c</u> §

renew

50 ml



DESCRIPTION

The active principles of Renew Acid provide antioxidant properties and help in treatments for skin rejuvenation and photo-aging.

Post-peeling 50 ml - A solution that neutralizes the peeling effect, restoring the pH of the skin and that provides a sensation of comfort and coolness.

ACTIVE INGREDIENTS

Pyruvic Acid, Phytic Acid

RECOMMENDED FOR

Rejuvenate, Photo-Aging

ATA 5 x 10 ml



DESCRIPTION

ATA peeling allows carrying through a surface exfoliation in the most external layers of the skin, activating a biological mechanism that stimulates the cellular renewal and the growth resulting in a healthier and luminous look. Great peeling that corrects imperfections.

ACTIVE INGREDIENTS

Trichloroacetic Acid

RECOMMENDED FOR

Pigmentation changes, Expression lines and wrinkles. It increases blood circulation and reduces the pores

TPRX 5 x 10 ml



DESCRIPTION

TPRX has a powerful firming action, being very efficient in the treatment of aging / mature skin. Visible results from the first application onwards, mainly in the expression lines. Also recommended in scars recovery as well as stretch marks caused by weight change. The skin becomes smoother and the tone more uniform. It also has a whitening effect on the skin.

ACTIVE INGREDIENTS

Trichloroacetic acid, Hydrogen peroxide, Kojic acid, Alpha-arbutin

RECOMMENDED FOR

Anti-aging, Melasma, Healing process

5151

application areas



professional • vials

btx dmae

#aging signs #medium wrinkles #deep wrinkles #skin elasticity

Its formula supports the reconstruction of collagen fibers, increasing its density and tension. Recommended to treat medium and deep wrinkles, expression lines and damaged skin, it is an effective solution for skin lifting.



product information

| presentation | 5×10ml |
|----------------------|---|
| main ingredients | Aqua (Water), Dimethyl Mea, Glycolic Acid, Camellia Sinensis Leaf Extract, Hydrolized Hibiscos Esculentus Extract, Acetyl Hexapeptide-8 Argireline, Caprylyl Glycol, Acetyl Hexapeptide-3o. |
| main characteristics | A strong blend with dmae, acetyl hexapeptides and polyphenols, complemented with glycolic acid and natural ingredients as Tea leaves and Hibiscus. Assisting in reducing the aging signs due to its hydrating and reaffirming properties. The BTX DMAE improves the appearance of expression lines and wrinkles and provides skin elasticity. |
| recommended for | Damaged skin with flaccidity. Medium / deep wrinkles. |
| usage | 1 week between each session 4-6 session recommended Follow-up and maintenance sessions are recommended |
| application | It can be used topically, transdermal with virtual mesotherapy (iontophoresis or electroporation), with RadioFrequency, ultrasound, with microneedling (dermapen or derma-Roller) and with other mesotherapy procedures. |





Biyotech Sağlık Malzemeleri Med. Yaz. Müh. Dan. Tic. Ltd. Şti.

Alikahya Atatürk Mh. Anber Sk. No:9/1 - İzmit / Kocaeli

biyotech_medikal mc_cosmetic_turkiye